MICA

By James B. Hedrick

Domestic survey data and tables were prepared by Linder Roberts, statistical assistant, and the world production table was prepared by Glenn J. Wallace, international data coordinator.

The mica group represents 34 phyllosilicate minerals that have a layered or platy texture. (Phyllo is derived from the Greek word *phyllon*, meaning leaf.) The commercially important micas are muscovite and phlogopite. Composed of tetrahedral-octahedral-tetrahedral layers, the mica group minerals are characterized by partial substitution of aluminum for silicon in the silicate tetrahedron. This substitution in the laminar structure provides charges to bind interlayer univalent and divalent cations, typically potassium, magnesium, calcium, and sodium. Layering in the univalent (potassium, sodium), or true, micas imparts in perfect basal cleavage, allowing crystals to be split into very thin sheets that are tough and flexible. Layering in the divalent, or brittle, micas also results in perfect basal cleavage; the greater bond strengths, however, make them more brittle and less flexible.

The value of mica is in its unique physical properties. The crystalline structure of mica forms mineral layers that can be split or delaminated into thin sheets. These sheets are flexible, elastic, platy, transparent to opaque, resilient, reflective, refractive, dielectric, chemically inert, insulating, lightweight, and hydrophilic. Mica also is stable when exposed to electricity, light, moisture, and extreme temperatures. Based on its greater abundance and superior electrical properties, muscovite is the principal mica used by industry. Phlogopite remains stable at higher temperatures and is used in applications where a combination of high heat stability and electrical properties is required. Muscovite and phlogopite are used in sheet and ground forms.

In 1998, about 87,000 metric tons of scrap and flake mica was produced in the United States, 24% less than that of 1997 (tables 1, 3). Ground mica sales were 104,000 tons, a decrease in tonnage of 5.4%, valued at \$31.2 million. Essentially all sheet mica used in the United States was imported, primarily from India. Consumption of muscovite block mica decreased to 7.3 tons valued at \$203,000. Consumption of mica splittings increased to 763 tons in 1998 from 736 tons in 1997. Worked and unworked sheet mica exports increased by 21% to 1,280 tons, and the value declined by 5.7% to \$12.5 million. U.S. imports of worked and unworked sheet mica decreased by 24% to 4,380 tons valued at \$13.7 million.

Legislation and Government Programs

The calendar year 1998 included parts of the U.S. Government fiscal years (October 1 to September 30) 1998 and 1999. The National Defense Authorization Act for Fiscal Year 1998, Public Law 105-85, enacted on November 18, 1997, did not change the previous authorizations for disposal of specific

mica stocks. The Strom Thurmond National Defense Authorization Act for Fiscal Year 1999, Public Law 105-261; also known as the Strategic and Critical Stock Piling Act was enacted on October 17, 1998. Section 3303 of the Act, Authority to Dispose of Certain Materials in National Defense Stockpile, limited the disposal quantity of muscovite block mica to 136,531 kilograms (301,000 pounds) and phlogopite block mica to 59,305 kilograms (130,745 pounds).

Stocks of mica classified as excess to goal at the end of fiscal year 1998 (September 30, 1998) and subject to the limitations above, totaled 718,447 kilograms (1,583,904 pounds) of muscovite block (stained and better), 9,202 kilograms (20,288 pounds) of muscovite film (1st and 2nd qualities), 5,549,810 kilograms (12,235,237 pounds) of muscovite splittings, 263,549 kilograms (581,027 pounds) of phlogopite splittings, and 59,305 kilograms (130,745 pounds) of phlogopite block (table 2).

Production

Domestic mine production data for mica are developed by the U.S. Geological Survey from four separate voluntary surveys. Of the 17 operations to which the *Crude Scrap and Flake Mica* production form (including sericite production) was sent, 12 operations responded. Of the 15 operations to which the *Ground Mica* form was sent, 5 operations responded (excludes low-grade ground sericite production). Of the five surveyed operations to which the *Mica Block and Film* consumption form was sent, three operations responded. Of the eight surveyed operations to which the *Mica Splittings* consumption form was sent, five operations responded. Consumption for the nonrespondents was estimated by using prior-year production data. Individual company production and consumption data are withheld to avoid disclosing company proprietary data.

AZCO Mining Inc. acquired the Black Canyon mica project through a merger of Sanchez Mining Inc., it subsidiary, with Arizona Mica Properties, Inc. Located near Phoenix, AZ, the Black Canyon muscovite mica deposit is a swarm of pegmatite dikes with a strike length of 1,524 meters and a width of 3 to 18 meters. Mineralization of the mica-bearing pegmatites reportedly extends 152 meters (AZCO Mining Inc., 1999).

Polar Minerals Inc. announced an expansion of its phlogopite-mica-processing capacity from 6,000 to 16,000 metric tons per year. The expansion was scheduled for completion before yearend 1998 at Polar's plant in Mount Vernon, IN (Industrial Minerals, 1998b).

In 1998, FMC Corporation closed its lithium-feldspar-mica operations at Bessemer City, NC, on February 28, following the

MICA—1998 YY1

closure of its mine in January. Lower cost foreign lithium deposits were the primary reason for the scheduled closure. Byproduct mica produced during the processing of the spodumene ore was dry ground at FMC's Spartan Minerals Corp. mica and feldspathic sand plant in Pacolet, SC (James Hawkins, FMC Corporation, oral commun., 1998).

Zemex Industrial Minerals, a Zemex Corporation group, purchased the mining operations of Aspect Minerals, Inc., in western North Carolina for \$2.2 million. Zemex's Aspect Minerals acquisition was incorporated under the new name, Zemex Mica Corporation. The purchase added a muscovite mine at Micaville, NC, and wet- and dry-grinding plants at Bakersville and Spruce Pine, NC, to ZIM's holdings. Other holdings in North Carolina included the Feldspar Corporation's alaskite and mica mines and processing plant in Spruce Pine (Industrial Minerals, 1998c).

Scrap and Flake Mica.—In 1998, 9 domestic companies with 12 mines in 5 States produced scrap and flake mica (excluding low-grade sericite). The United States was one of the world's primary producers with 87,000 tons (tables 1, 3). North Carolina remained the major producing State, with 54% of domestic production and the remainder was produced in Georgia, New Mexico, South Carolina, and South Dakota. Mica was recovered from mica schist, high-quality sericite schist, weathered pegmatites, a placer deposit, and as a coproduct of feldspar and kaolin.

The scrap and flake mica producers, in alphabetical order, were Engelhard Corp., Hartwell, GA; The Feldspar Corporation., a Zemex Industrial Minerals company, Spruce Pine, NC; FMC, Lithium Division, Bessemer City, NC; Georgia Industrial Minerals, Deep Step, GA; Franklin Industrial Minerals, a division of Franklin Industries Inc., Kings Mountain, NC, and Velarde, NM; K-T Feldspar Corp., Spruce Pine, NC; The Mineral Mining Co., Kershaw, SC; Pacer Corp., Custer, SD; Tinton Enterprises, Spearfish, SD; Unimin Corp., Spruce Pine, NC; and Zemex Mica Corp., a Zemex Industrial Minerals company, Micaville, NC.

Ground Mica.—In 1998, 10 companies operated 16 grinding plants in 5 States—11 plants produced dry-ground mica, and 5 wet-ground mica. The four largest ground mica companies, including one company with four plants, accounted for 69% of the total of 104,000 tons (table 4).

Dry-ground mica producers, in alphabetical order, were Asheville Mica Co., Asheville, NC; Georgia Industrial Minerals, Deep Step, GA; Franklin Industrial Minerals, a division of Franklin Industries Inc., Kings Mountain, NC, and Velarde, NM; Mineral Mining Co. Inc., Kershaw, SC; Pacer Corp., Custer, SD; Piedmont Minerals, Hillsborough, NC; Spartan Minerals Corp., a subsidiary of FMC Corp., Lithium Division, Pacolet, SC; USG Corp., Spruce Pine, NC, and Zemex Mica Corp., a Zemex Industrial Minerals company, Spruce Pine, NC. Wet-ground mica producers, in alphabetical order, were: Engelhard Corp., Hartwell, GA; Georgia Industrial Minerals, Deep Step, GA; KMG Minerals Division of Franklin Industries Inc., Kings Mountain, NC; and Zemex Mica Corp., a Zemex Industrial Minerals company, Bakersville, NC.

Consumption

Statistics on domestic mica consumption are developed by surveying various processors and manufacturers, evaluating import-export data, and analyzing Government stockpile shipments.

Sheet Mica.—Sheet mica is used principally in the electronic and electrical industries. Its usefulness in these applications is derived from its unique electrical and thermal insulating properties and its mechanical properties, which allow it to be cut, punched, stamped, and machined to close tolerances.

The largest use of block mica is as an electrical insulator in electronic equipment. High-quality block mica is processed to line the gauge glasses of high-pressure steam boilers because of its transparency, flexibility, and resistance to heat and chemical attack. Other uses include diaphragms for oxygen-breathing equipment, marker dials for navigation compasses, optical filters, retardation plates in helium-neon lasers, pyrometers, thermal regulators, and stove and kerosene heater windows. Specialized applications for sheet mica are found in aerospace components ground- and air-launched missile systems, optical instrumentation, laser devices, medical electronics for radiation treatment, and radar systems.

Only high-quality muscovite film mica is used as a dielectric in capacitors. The highest quality film is used to manufacture capacitors for calibration standards. The next grade down is used in transmitting capacitors. Receiving capacitors use a slightly lower grade of high-quality muscovite.

In 1998, consumption of muscovite block (ruby and nonruby) totaled 7,300 kilograms, an 11% decrease compared with that of 1997 (table 5). Stained and lower-than-stained quality remained in greatest demand, accounting for 92.4% of ruby mica block. Consumption of nonruby mica block was split—86% for stained quality and 14% for good quality. The use of block mica was lower as demand decreased in electronic and nonelectronic applications.

In 1998, five companies continued to consume muscovite block and film in five plants in four States—two in North Carolina and one each in New Jersey, Ohio, and Virginia.

In 1998, mica splittings represented the largest part of the sheet mica industry in the United States. Consumption of muscovite and phlogopite splittings increased by 4% to 763 tons (table 6). Muscovite splittings from India accounted for essentially all the domestic consumption. The remainder of consumption was primarily phlogopite splittings imported from Madagascar. Muscovite and phlogopite splittings were fabricated into various built-up mica products by nine companies operating nine plants in seven States.

Built-Up Mica.—Produced by mechanical or hand setting of overlapping splittings and alternate layers of binders and splittings, built-up mica is primarily used as an electrical insulation material. Major products are bonding materials, flexible plate, heater plate, mica paper, molding plate, segment plate, and tape (table 7).

Segment plate acts as insulation between the copper commutator segments of direct-current universal motors and

YY2 MICA—1998

generators. Phlogopite built-up mica is preferred because it will wear at the same rate as the copper segments. Although muscovite has a greater resistance to wear, it causes uneven ridges that may interfere with the operation of a motor or generator. Consumption of segment plate was 134 tons in 1998, essentially the same as that of 1997 (table 7).

Molding plate is sheet from which V-rings are cut and stamped for use in insulating the copper segments from the steel shaft ends at the end of a commutator. Molding plate is also fabricated into tubes and rings for insulation in transformers, armatures, and motor starters. Consumption of molding plate increased by 1% to 178 tons in 1998 from 176 tons in 1997 (table 7).

Flexible plate (cold) is used in electric motor and generator armatures, field coil insulation, and magnet and commutator core insulation. Mica consumption in flexible plate increased by 15% to 127 tons in 1998 from 110 tons in 1997 (table 7).

Heater plate is used where high-temperature insulation is required. Consumption of mica in heater plate increased by almost 15% in 1998 compared with that of 1997 (table 7).

Some types of built-up mica have the bonded splittings reinforced with cloth, glass, linen, muslin, plastic, silk, or special paper. These products are very flexible and are produced in wide, continuous sheets that are either shipped rolled or cut into ribbons, tapes, or trimmed to specified dimensions. Built-up mica products are also corrugated or reinforced by multiple layering.

The total amount of built-up mica that was consumed or shipped was 662 tons, an increase of 16.7% compared with that of 1997 (table 7). In 1998, segment plate and molding plate were the major end products and accounted for 20% and 27% of the total, respectively.

Mica Paper (Reconstituted Mica).—Primary uses for mica paper are the same as those for built-up mica. Three companies consumed scrap mica to produce mica paper. The principal source of the scrap was India. In 1998, manufacturing companies, in alphabetical order were Corona Films Inc., West Townsend, MA, General Electric Co., Coshocton, OH, and U.S. Samica Corp., Rutland, VT.

Ground Mica.—The largest domestic use of dry-ground mica was in joint compound for filling and finishing seams and blemishes in gypsum wallboard (drywall) (table 4). The mica acts as a filler and extender, provides a smooth consistency, improves the workability of the compound, and provides resistance to cracking. In 1998, joint compound accounted for 46% of dry-ground mica consumption.

In the paint industry, ground mica is used as a pigment extender that also facilitates suspension, reduces chalking, prevents shrinking and shearing of the paint film, increases resistance of the paint film to water penetration and weathering, and brightens the tone of colored pigments. Mica also promotes paint adhesion in aqueous and oleoresinous formulations. Consumption of dry-ground mica in paint, its second largest use, accounted for 29% of the 1997 total.

Ground mica is used in the well-drilling industry as an additive to drilling muds. The coarsely ground mica flakes help prevent the loss of circulation by sealing porous sections of the drill hole.

The rubber industry uses ground mica as an inert filler and a mold release compound in the manufacture of molded rubber products, such as tires and roofing. The platy texture acts as an antiblocking, antisticking agent. Rubber mold lubricant accounted for 4.3% of dry-ground mica use in 1998.

The plastics industry uses dry-ground mica as an extender and filler, especially in parts for automobiles for lightweight insulation to suppress sound and vibration. Mica is used in plastic automobile fascia and fenders as a reinforcing material, providing improved mechanical properties, increased strength, stiffness, and dimensional stability. Mica-reinforced plastics also have high-heat dimensional stability, reduced warpage, and the best surface properties of any filled plastic composite. In 1998, consumption of dry-ground mica in plastic applications accounted for 3.0% of the market, slightly lower than the 3.3% in 1997 (table 4).

Dry ground mica is used in the production of rolled roofing and asphalt shingles where it serves as a surface coating to prevent sticking of adjacent surfaces. The coating is not absorbed by freshly manufactured roofing because mica's platy structure is unaffected by the acid in asphalt or by weathering conditions. As a rubber additive, mica reduces gas permeation and improves resiliency.

Mica is also used in decorative coatings on wallpaper, concrete, stucco, and tile surfaces. It is also used as an ingredient in some special greases, as a flux coating on welding rods, and in foundry applications as coatings for core and mold release compounds, mold washes, and facing agents.

Stocks

Government stocks of mica in the National Defense Stockpile (NDS) comprised stockpile-grade muscovite block, stained and better; muscovite film, 1st and 2nd qualities muscovite splittings; phlogopite block; and phlogopite splittings. NDS stocks of muscovite block, muscovite film, muscovite and phlogopite splittings were available for sale from the Defense National Stockpile Center, Fort Belvoir, VA. Yearend 1998 stocks of various types of mica in the NDS are listed in table 2.

Reported yearend industry stocks of muscovite mica block (ruby and nonruby) decreased to 16.8 tons in 1998 from 21.2 tons in 1997. Industry stocks of muscovite and phlogopite mica splittings decreased to 424 tons at yearend 1998 from 445 tons at yearend 1997 (table 6).

Prices

Sheet mica prices vary with grade and can range from less than \$1 per kilogram for low-quality mica to more than \$2,000 per kilogram for the highest quality. The average values of muscovite sheet mica consumed in the United States in 1998 compared with 1997 were as follows: block (ruby and nonruby) decreased by 9% to \$28 per kilogram and muscovite splittings were unchanged at \$1.51 per kilogram.

The average value of phlogopite block decreased to \$17.95 per kilogram in 1998 from \$18.21 per kilogram in 1997. The average value of phlogopite splittings decreased to \$4.69 per kilogram in 1998 from \$4.96 per kilogram in 1997.

MICA—1998 YY3

In 1998, the average U.S. value of crude flake mica, including high-quality sericite, increased to \$87 per metric ton (table 1). The average value for North Carolina flake mica increased to \$97 per ton in 1998. The value of dry-ground mica increased slightly to average \$179 per ton, and wetground mica decreased to average \$909 per ton (table 1).

Foreign Trade

Demand for mica decreased in U.S. and foreign markets in 1998. Foreign trade was mixed, with the value of U.S. exports of mica decreasing by 8.3% to \$16.3 million as the quantity increased by 1.5% to 9,335 tons. Imports of mica declined with the value of U.S. imports of mica decreasing by 0.84% to \$24.7 million and the quantity decreasing by 6.3% to 27,200 tons (table 13).

Domestic ground mica exports increased to 6,640 tons, up 330 tons from that of 1997 (table 8). Exports of crude and rifted mica decreased, by 60% to 613 tons, primarily the result of sheet mica sales from the NDS. Exports of worked mica sheet in 1998 increased by 18.7% to 671 tons (table 9). The value of U.S. exports of worked mica sheet, however, decreased to \$10.7 million, 8.6% lower than that of 1997.

The United States continued to rely on imports, primarily from India, for essentially all its supply of sheet and paper-quality scrap micas. Imports for consumption of unworked split block, film, splittings, and mica sheet catagorized as "Other," were about 9,170 tons, 32% less than that of 1997 (table 10).

About 15,500 tons of ground mica was imported in 1998, mostly from Canada (table 11). Worked mica imports were 1,610 tons, 4.8% higher than those of 1997 (table 12).

World Review

Australia.—Minerals Corporation Limited of Ingleburn, New South Wales, was seeking investors for its muscovite-bearing alaskite deposit near Oberon, New South Wales. The deposit has measured resources of 1.6 million tons of alaskite, a plutonic rock containing orthoclase and microcline feldspar, and lesser quantities of quartz and few or no mafic constituents. The Oberon alaskite deposit analyzed 32% albite, 28.5% quartz, 26% sodic microcline, 12% muscovite, and 1.5% accessory minerals. The proposed mining project would produce three marketable products—feldspar, mica, and silica (Industrial Minerals, 1998a). Alaskite is mined for similar products in the United States at Spruce Pine.

Canada.—Zemex Corporation (Toronto) acquired the mica operations of Aspect Minerals, in North Carolina, for around \$2.2 million plus the assumption of current debt. Zemex Industrial Minerals, Zemex Corporation's wholly owned subsidiary, announced on January 28, 1998, that it would operate the mine and processing plants under the name Zemex Mica. Zemex Industrial Minerals already operated three other companies—The Feldspar Corporation, Suzorite Minerals Products Inc., and Suzorite Mica Products Inc. (Zemex Corp., January 28, 1998, acquisition of muscovite mica business, accessed February 17, 1998, at URL http://www.zemex.com/

zemex/newsmica.html).

Outlook

Based on various economic factors, the outlook for ground mica is for average production growth of 1% to 3% per year. The major markets for ground mica—joint compounds and paints—are mature and relatively stable, and growth is tied to new housing starts and interest rates. To a lesser extent, widespread natural disasters also affect the market, creating immediate demand for residential building materials. Demand is also responsive to automobile production because interior and exterior parts typically contain dry-ground mica, and exterior surfaces are painted with wet-ground pearlescent pigments and mica-containing coatings.

In 1999 and 2000, domestic demand for crude and ground mica is expected to increase slightly. Demand for dry- and wetground micas is expected to improve in the short term to meet increasing demand for pearlescent paints and cosmetics. Markets for dry-ground mica are forecast to grow by as much as 3% per year through the year 2005, unless interest rates and prices rise sufficiently to slow demand for new housing and automobiles. Wet-ground mica is also expected to show moderate growth as demand from the cyclical automotive industry uses increasing amounts of pearlescent paint pigments.

Demand for block mica is expected to grow slowly through the end of the century as demand increases in a few specialty markets. A shortage of high-quality block mica is expected to continue because of the generally low percentage of highquality mica in currently (1998) mined deposits (pegmatites).

Consumption of mica splittings, the major type of sheet mica consumed in the United States, decreased sharply throughout the 1960's and 1970's and leveled off in the 1980's and 1990's in the range of 800 to 1,000 tons per year. With no new uses and many substitute materials, no substantial growth is expected. Consumption of mica splittings is expected to remain in the range of 600 to 900 tons per year.

References Cited

AZCO Mining Inc., 1999, AZCO Mining Inc. announces the acquisition of the Black Canyon mica project: Ferndale, WA, AZCO Mining Inc. news release, March 10, 1 p.

Industrial Minerals, 1998a, Investors sought for alaskite project: Industrial Minerals, no. 372, September, p. 9.

———1998b, Polar Minerals expands mica plant: Industrial Minerals, no. 371, August, p. 15-19.

———1998c, Żemex talc j-v with IMI-Fabi & mica acquisition: Industrial Minerals, no. 367, April, p. 35.

SOURCES OF INFORMATION

U.S. Geological Survey Publications

Mica. Mineral Industry Surveys, annual.¹

Mica (Natural), Scrap and Flake. Ch. in Mineral Commodity Summaries, annual.¹

Mica (Natural), Sheet. Ch. in Mineral Commodity

YY4 MICA—1998

¹Prior to January 1996, published by the U.S. Bureau of Mines.

Summaries, annual.¹
Mica. Ch. in United States mineral resources, U.S. Geological Survey Professional Paper 820, 1973.

Other

Mica. Ch. in Mineral facts and problems, U.S. Bureau of

Mines Bulletin 675, 1985.

Roskill Information Service Ltd. (London). The Economics of Mica (7th ed.), 1991.

MICA—1998 YY5

TABLE 1 SALIENT MICA STATISTICS 1/

		1994	1995	1996	1997	1998
United States:						
Production (sold or used by prod	ucers):					
Scrap and flake mica	thousand metric tons	109	108	97	114	87
Value	thousands	\$5,780	\$5,630	\$7,820	\$9,400	\$7,550
Ground mica	thousand metric tons	95	98	103	110	104
Value	thousands	\$28,700	\$24,800	\$33,600	\$37,000	\$31,200
Prices, dollars per metric ton:						
Scrap and flake mica		\$53	\$52	\$81	\$83	\$87
Ground:						
Wet		\$1,010	\$974	\$1,030	\$1,080	\$909
Dry		\$151	\$174	\$182	\$176	\$179
Sheets, dollars per kilogram:	(muscovite and phlogopite)					
Block		\$66	\$73	\$55 r/	\$28 r/	\$26
Splittings		\$1.72	\$1.86	\$1.75	\$1.69	\$1.67
Consumption:						
Block, muscovite	metric tons	6	6	6	8	7
Value	thousands	\$432	\$407	\$383	\$249	\$203
Splittings, all types	metric tons	857	713	859	736	763
Value	thousands	\$1,470	\$1,320	\$1,510	\$1,240	\$1,270
Exports	metric tons	7,520	8,160	8,380	9,210	8,900
Imports	do.	25,200	26,200	24,700	28,900	27,400
World: Production	do.	313,000 r/	327,000	298,000 r/	307,000 r/	288,000 e/

e/ Estimated. r/ Revised.

 ${\it TABLE~2}$ STOCKPILE STATUS AND GOVERNMENT INVENTORIES FOR MICA, DECEMBER 31, 1998 1/

(Metric tons)

	Inventory	(uncommitted)		Fiscal year
Material	Stockpile grade	Nonstockpile grade	Available for disposal	1997 sales
Block:				
Muscovite, stained and better	681	10	137	453
Phlogopite	8		8	
Film: Muscovite, 1st and 2nd qualities	3		3	9
Splittings:				
Muscovite	5,470		5,470	93
Phlogopite	264		264	1

 $^{1/\} Data$ are rounded to three significant digits.

TABLE 3 SCRAP AND FLAKE MICA SOLD OR USED BY PRODUCERS IN THE UNITED STATES, BY STATE $1/\ 2/$

(Thousand metric tons and thousand dollars)

	1997		1998	
State	Quantity	Value	Quantity	Value
North Carolina	66	5,210	47	4,560
Other States 3/	48	4,190	40	2,990
Total	114	9,400	87	7,550

^{1/} Data are rounded to three significant digits; may not add to totals shown.

^{1/} Data are rounded to three significant digits.

^{2/} Includes finely divided mica recovered from mica schist and high-quality sericite schist, and mica that is a byproduct of feldspar, kaolin, and lithium beneficiation.

 $^{3\!/}$ Includes Georgia, New Mexico, South Carolina, and South Dakota.

TABLE 4 GROUND MICA SOLD OR USED BY PRODUCERS IN THE UNITED STATES, BY END USE AND METHOD OF GRINDING 1/ 2/

		1997			1998			
	Quantity	Value		Quantity	Value			
	(thousand	(thousand	Unit	(thousand	(thousand	Unit		
	metric tons)	dollars)	value	metric tons)	dollars)	value		
End use:								
Joint cement	47	7,880	\$168	48	9,120	\$190		
Paint	38	21,900	576	30	8,910	297		
Plastics	4	1,820	455	3	1,440	480		
Well-drilling mud	3	757	252	5	895	179		
Other 3/	19	4,690	247	18	10,800	602		
Total	110	37,000	337	104	31,200	300		
Method of grinding:								
Dry	W	W	176	W	W	179		
Wet	W	W	1,080	W	W	909		

- W Withheld to avoid disclosing company proprietary data.
- 1/ Data are rounded to three significant digits; may not add to totals shown.
- 2/ Domestic and some imported scrap. Low-quality sericite is not included.
- 3/ Includes mica used for molded electrical insulation, roofing, rubber, textile and decorative coatings, welding rods, and miscellaneous.

TABLE 5
FABRICATION OF MUSCOVITE BLOCK MICA
IN THE UNITED STATES, BY QUALITY 1/

(Metric tons)

Quantity	1997 r/	1998
Good stained or better	0.590	0.680
Stained or lower 2/	7.590	6.620
Total	8.180	7.300

r/ Revised.

TABLE 6 CONSUMPTION AND STOCKS OF MICA SPLITTINGS IN THE UNITED STATES 1/

•		Consum	Consumption			
		Quantity	Value	December 31		
	Year	(metric tons)	(thousands)	(metric tons)		
	1997	736	\$1,240	445		
	1998	763	1,270	424		

^{1/} Data are rounded to three significant digits.

TABLE 7 BUILT-UP MICA SOLD OR USED IN THE UNITED STATES, BY PRODUCT 1/ $2\!\!/$

	1997	1	1998		
	Quantity	Value	Quantity	Value	
	(metric tons)	(thousands)	(metric tons)	(thousands)	
Flexible plate (cold)	110	\$646	127	\$1,160	
Heater plate	W	W	W	W	
Molding plate	176	1,490	178	1,670	
Segment plate	133	1,270	134	1,340	
Tape	W	W	W	W	
Other	130	1,940	203	2,500	
Total	567	5,540	662	68,700	

W Withheld to avoid disclosing company proprietary data; included in "Total."

- 1/ Data are rounded to three significant digits; may not add to totals shown.
- 2/ Consists of alternating layers of binder and irregularly arranged and partly overlapped splittings.

^{1/} Data are rounded to three significant digits; may not add to totals shown.

^{2/} Includes punch mica.

TABLE 8 U.S. EXPORTS OF CRUDE AND RIFTED MICA, MICA POWDER, AND WASTE IN 1998, BY COUNTRY 1/

		Crude a	nd rifted					
	Less t	han \$0.55	More th	an \$0.55				
	per l	cilogram	per kil	ogram	Pov	vder	W	aste
	Quantity		Quantity		Quantity		Quantity	
	(metric	Value	(metric	Value	(metric	Value	(metric	Value
Country	tons)	(thousands)	tons)	(thousands)	tons)	(thousands)	tons)	(thousands
Argentina	11	\$4			45	\$30	-	
Australia			(2/)	\$9	339	168		
Barbados					20	17		
Belgium					84	44		
Brazil					61	39	2	\$3
Canada					3,630	1,230	884	189
Chile					17	12		
China					19	12		
Colombia					25	14		
Congo					11	10		
Cote d'Ivoire					(2/)	5		
Dominica					9	8		
Dominican Republic					9	7		
El Salvador					1	5		
France					40	65		
Germany	9	3			107	78		
Hong Kong		10			2	8		
India			64	253	125	136	71	70
Indonesia	8	3						
Ireland					16	4		
Israel					43	14		
Italy					81	14		
Japan		19	66	449	229	136		
Kenya					5	3		
Korea, Republic of		8			160	134		
Malaysia					101	17		
Mexico	110	53	44	783	608	346		
Netherlands		5			176	362		
New Zealand					320	79	_	
Niger					11	24		
Peru					6	6		
Philippines			6	108	5	3		
Poland					16	7		-
Saudi Arabia					34	18		
Singapore			2	44	16	6	_	
Spain		34						
Sweden					56	22		
Taiwan	9	3	(2/)	5	69	92		
Thailand		3	(2/)	3	3	22		
United Kingdom	62	22	(2/)	9	28	31		
Uruguay	62		(2/)		28		5	9
Venezuela		5			117		15	27
Total	431	167	182	1,660	6,640	71 3,300	976	297

^{1/} Data are rounded to three significant digits; may not add to totals shown.

^{2/} Less than 1/2 unit.

 ${\bf TABLE~9}$ U.S. EXPORTS OF WORKED MICA IN 1998, BY COUNTRY 1/

	Plates, sl	neets	Other	r	
	Quantity	Value	Quantity	Value	
Country	(metric tons)	(thousands)	(metric tons)	(thousands)	
Argentina	1	\$33	56	\$153	
Australia	6	200	3	56	
Bahamas, The	(2/)	7	1	7	
Barbados	1	6			
Belgium	9	68			
Brazil	45	502	3	104	
Canada	109	2,760	63	1,780	
Chile	(2/)	22		,	
China	15	147	(2/)	15	
Cocos (Keeling) Islands	1	118	· -		
Colombia	3	60			
Costa Rica	33	154			
Czech Republic	8	25			
Denmark			(2/)	5	
Dominican Republic	1	4	(=/)		
Ecuador	1	10			
El Salvador	. <u>.</u>		(2/)	3	
France	12	247	4	45	
Germany	2	65	4	141	
Honduras			2	61	
Hong Kong			3	86	
India	 		3	109	
Ireland	. 5	39	(2/)	3	
Israel	. 1	17	(27)		
Italy	23	585	(2/)	5	
Jamaica	19	104	(2/)		
Japan	(2/)	4	3	62	
				42	
Korea, Republic of	1	11	1		
Kuwait Malaysia			(2/)	3 19	
		1 140	1		
Mexico	51	1,140	24	203	
Netherlands	. 19	68	3	19	
Nicaragua	. 5	17			
Norway			1	43	
Pakistan	-		(2/)	4	
Peru			(2/)	14	
Philippines	. 1	8			
Saudi Arabia	42	172	(2/)	8	
Singapore	45	377			
South Africa	. 1	34	1	7	
Spain			(2/)	8	
Sweden			(2/)	6	
Switzerland	6	99	(2/)	11	
Taiwan	3	57	2	49	
Trinidad and Tobago	. 2	10			
Turkey	(2/)	3			
United Arb Emirates	8	212			
United Kingdom	5	106	5	113	
Uruguay	(2/)	11			
Venezuela	3	14	(2/)	5	
Total	487	7,520	184	3,190	

^{1/} Data are rounded to three significant digits; may add to totals shown.

^{2/} Less than 1/2 unit.

 ${\it TABLE~10}\\ {\it U.S.~IMPORTS~FOR~CONSUMPTION~OF~CRUDE~AND~RIFTED~MICA~IN~1998,~BY~COUNTRY~1/2}}$

					Other				
	Split b	lock	Splitt	ings	Less that per kilo		More than \$0.55 per kilogram		
	Quantity	Value	Quantity	Value	Quantity	Value	Quantity	Value	
Country	(metric tons)	(thousands)	(metric tons)	(thousands)	(metric tons)	(thousands)	(metric tons)	(thousands)	
Canada					100	\$14			
China							60	\$140	
Finland					1,600	353			
Germany			720	\$171					
India	73	\$76	1,900	1,030	4,410	911	300	212	
Madagascar			13	42					
United Kingdom							(2/)	2	
Total	73	76	2,630	1,240	6,110	1,280	360	353	

^{1/} Data are rounded to three significant digits; may not add to totals shown.

TABLE 11 U.S. IMPORTS FOR CONSUMPTION OF MICA POWDER AND WASTE IN 1998, BY COUNTRY $1/\,$

	Powe	der	Was	te
	Quantity	Value	Quantity	Value
Country	(metric tons)	(thousands)	(metric tons)	(thousands)
Argentina	559	\$783		
Austria	1	1		
Brazil	20	8		
Canada	14,300	5,800	(2/)	\$4
China	145	30		
Germany	27	122		
India	45	39	1,060	531
Japan	249	2,050		
Madagascar			108	111
Malaysia	60	199		
Mexico	1	16		
New Zealand	(2/)	2		
Norway	80	53		
United Kingdom	4	10		
Total	15,500	9,120	1,160	646

^{1/} Data are rounded to three significant digits; may not add to totals shown.

^{2/} Less than 1/2 unit.

^{2/} Less than 1/2 unit.

TABLE 12 U.S. IMPORTS FOR CONSUMPTION OF WORKED MICA IN 1998 BY COUNTRY 1/

	Plates,	sheets	Oth	ner	
	Quantity	Value	Quantity	Value	
Country	(metric tons)	(thousands)	(metric tons)	(thousands)	
Australia	(2/)	\$10	(2/)	\$9	
Austria	(2/)	3	3	88	
Belgium	706	6,130			
Brazil	148	493	74	200	
Canada	8	51	10	39	
China	203	483	12	116	
Czech Republic			2	17	
France	27	204	1	17	
Germany	(2/)	17	(2/)	17	
Hong Kong	3	12	6	37	
India	75	949	169	1,370	
Italy	38	78			
Japan	15	207	7	154	
Korea, Republic of	13	72	22	51	
Philippines			(2/)	3	
Sweden			1	23	
Switzerland	61	1,230			
Taiwan	1	7			
Thailand	1	2			
United Kingdom	4	69	(2/)	13	
Total	1,300	10,000	309	2,150	

^{1/} Data are rounded to three significant digits; may add to totals shown.

TABLE 13 SUMMATION OF U.S. MICA TRADE DATA 1/

	Scrap and flake mica				Sheet mica			
	Powder		Waste		Unworked		Worked	
	Quantity	Value	Quantity	Value	Quantity	Value	Quantity	Value
	(metric tons)	(thousands)	(metric tons)	(thousands)	(metric tons)	(thousands)	(metric tons)	(thousands)
Exports:	_							
1997	6,310	\$4,010	1,820	\$471	500	\$1,580	565	\$11,700
1998	6,640	3,300	1,410	464	614	1,830	671	10,700
Imports for consumption:								
1997	13,000	8,080	10,200	2,260	4,220	2,310	1,540	12,300
1998	15,500	9,120	7,280	1,930	2,760	1,490	1,610	12,200

 $^{1/\,\}mbox{Data}$ are rounded to three significant digits.

^{2/} Less than 1/2 unit.

${\it TABLE~14} \\ {\it MICA:~WORLD~PRODUCTION,~BY~COUNTRY~1/~2/}$

(Metric tons)

Country 3/	1994	1995	1996	1997	1998 e/
Argentina:					
Sheet e/	720	700	297 4/	300	300
Waste, scrap, etc.	1,104	4,341	1,543 r/	1,353 r/	1,400
Brazil	6,700	5,200	7,000	4,000 r/	4,000
Canada e/	17,500	17,500	17,500	17,500	17,500
Finland	5,591			e/	
France e/	8,000	10,000	8,000	8,000	10,000
India:					
Crude	2,055	1,728	1,894	2,000 e/	1,800
Scrap and waste	719	1,013	1,413	1,400 e/	1,300
Total	2,774	2,741	3,307	3,400 e/	3,100
Iran e/ 5/	3,000 r/	3,000 r/	3,000 r/	3,000 r/	3,000
Korea, Republic of (all grades)	37,470	43,709	35,923	34,489	38,459 4/
Madagascar (phlogopite) e/	774	432 4/	450	450	450
Malaysia	4,993	5,848	5,501	5,708	5,700
Mexico (all grades)	5,753	5,028	4,273	975	890 4/
Morocco e/	800 r/	564 r/ 4/	600 r/	600 r/	600
Peru e/	100	100	100	100	100
Russia e/	100,000	100,000	100,000	100,000	100,000
Serbia and Montenegro	158	199	200 e/	200 e/	150
South Africa (scrap)	1,973	2,137	1,515 r/	1,423 r/	1,400
Spain e/	200	200	200	200	150
Sri Lanka (scrap)	200 e/	6,350 r/	2,400 r/	3,500 r/	4,500
Taiwan	5,220	9,792	8,510	7,806 r/	7,500
United States (scrap and flake) 6/	109,000	108,000	96,600	114,000	87,100 4/
Zimbabwe	213	1,040	1,500 e/	30 r/	1,309 4/
Grand total	313,000 r/	327,000	298,000 r/	307,000 r/	288,000

e/ Estimated. p/ Preliminary. r/ Revised.

^{1/} World data, U.S. data, and estimated data are rounded to three significant digits; may not add to totals shown.

^{2/} Table includes data available through July 22, 1999.

^{3/} In addition to the countries listed, China, Norway, Pakistan, Romania, and Sweden are known to produce mica, but available information is inadequate to make reliable estimates of output levels.

^{4/} Reported figure.

^{5/} Year beginning March 21 of that stated.

^{6/} Excludes U.S. production of low-quality sericite and sheet mica, if any.